Text2ArcOrCylinder program for KeyCreator 8.X only!

Use this program at your own risk!

Program description:

This program creates text around a Circle/Arc in a planar or cylindrical fashion. Various settings can be adjusted to achieve your specific needs. All settings are remembered once the OK button is pressed.

Enhancements:

1) Text to Arc is now placing the created text according to the Construction Plane

2) Added new feature Text to Cylinder (works **only** in Construction Plane 1)



The Setup Dialog Box	K
----------------------	---

Text around	Arc/Circle	or Cylinder		
Text Height:	0.250000	Font Name: aria	al	
Text Aspect:	1.000000	Text Mirrored	Text Underlined	
Text Slant:	0.000000	Text Filled	Text Strike Throu	igh
Extra Space:	1.000000			
- Text Justific C Left C Center C Right	ation	C CW	Text Rotation Rotation Angle: 0.00	00000 °
Text around Cylinder Enable This function works in Cplane 1 only! Tilt angle range -90° to +90° Tilt Angle: 0.000000				
Registered to Hans Winkler	:			OK Cancel

Here is some additional help; items that are self explanatory are not listed.

Extra Space:

Increases the space between the characters created. If set to 1.0, a standard space is used. If less than 1.0, the space between characters decreases. If larger than 1.0, the space increases.

Text Justification:

Indicates the placement anchor for the text to be positioned. For example: If set to Center, equal amounts of text will be placed to each side of the indicated placement position.

Text Direction:

Creates the text clockwise (CW) or counter clockwise (CCW)

Text Rotation:

Rotation angle specifies the note angle of the created character in relation to the Arc/Circle center. A Rotation angle of 0° keeps each created character perpendicular to the Arc/Circle center in a readable manner. If the Lock Rotation Angle is checked, each character is created with the same angle. See example below:



Text around Cylinder:

The Text around Cylinder function has to be enabled, or disabled for Text around Arc. The Tilt Angle 0.00000 produces the text perpendicular to the cylinder, a negative or positive tilt angle can be used so the text is parallel for a cone shape as shown below. Settings for 45° angled Cone as shown below were

CCW, Text around Cylinder Enabled, Tilt angle -45°.



Registration Information:

You will be given the opportunity to register the program at every startup. The following Dialog will appear:

Kubotek KeyCreator				
Would y	ou like to register?			
Yes	No			

If you click No you are in Trial mode. Trial mode works for **5 days** after your first startup.

If you click Yes, the following Dialog will appear:

Registration Dialog Bo	ж: 🛛 🔀
Enter your Name:	
Enter the unlocking key	:
0	
Enter your Name and pro an unlocking key, otherw the unlocking key and pr	ess Save if you don't have vise enter your Name and ess Register.
Register	Save Cancel

Follow the description in the Dialog by entering your name and pressing the Save button.



After clicking Save, the following Dialog will appear:

Do not overwrite or edit the Text2ArcOrCylinder.lic file, or the registration will fail.

After payment is received the unlocking key will be emailed to you. When you receive the unlocking key, simply fill in your name and your unlocking key and press Register. Remember that Name and unlocking key are case sensitive.

Cost: This program may be purchased for \$29.95 US Dollars